List of Tables for Chapter 6 (MVSPA)

- 6-1 Summary of Key Findings for Intake Protection Zones MVSPA
- 6-2 Summary of Potential Significant Threats to Surface Water Based Municipal Drinking Water Systems MVSPA
- 6-3 Summary of Potential Significant Threats by Prescribed Drinking Water Threat Category for Surface Water Based Municipal Drinking Water Systems MVSPA
- 6-4 Lower/Single Tier Municipalities located in Intake Protection Zones MVSPA
- 6-5 Risk to Carleton Place IPZs based on Managed Lands and Livestock Density.
- 6-6 Summary of Potentially Significant Threats to Carleton Place Source Water and Prescribed Activities Considered
- 6-7 Risk to Britannia and Lemieux IPZs based on Managed Lands and Livestock Density.
 - 6-8 Summary of Potentially Significant Threats to Britannia Source Water and Prescribed Activities Considered

Summary of Key Findings for Intake Protection Zones - MVSPA Mississippi - Rideau Source Protection Region

| Municipal Drinking Water System (Source Protection Area) | Number of Intakes | Size of I | PZ (km²) | Vulnerability Scores | Area of IPZ where Potential Significant Threats may be present (km ²) | Number of Potential Significant Threats (line, polygon or point) | Number of Issues | Number of Conditions |
|---|----------------------|-----------|----------|-------------------------|---|--|---------------------|-------------------------|
| | 1 - | IPZ-1 | 0.10 | 10 | 7.92 | 20 | 0 | 0 |
| Carleton Place | | IPZ-2 | 3.85 | 9 | | | | |
| (MVSPA) | | IPZ-3 | 1551 | 4 to 8 | | | | |
| | | Total IPZ | 1555 | | | | | |
| Britannia and Lemieux Island (Ottawa) (MVSPA) | | IPZ-3 | 2567 | 3.6 to 7.2 | 0 | 0 | | |
| | N/A | IPZ-3 | 2567 | 3.6 to 7.2 | | | 0 | 0 |
| | | | | Total | 7.92 | 20 | 0 | 0 |

| Total IPZ area for Carleton Place (km ²) | 1,555 |
|---|-------|
| Total IPZ area for Britannia and Lemieux Island within MVSPA (km ²) | 2,567 |
| Total IPZ area for Mississippi Valley Source Protection Area (km ²) | 2,596 |

Notes:

MVSPA - Mississippi Valley Source Protection Area RVSPA - Rideau Valley Source Protection Area

Compiled from: MRSPR Surface Water Technical Reports (see Appendix A-1)

Summary of Potential Significant Threats to Surface Water Based Municipal Drinking Water Systems - MVSPA Mississippi - Rideau Source Protection Region

| System Name | Potential Significant Threats | | | | |
|---------------------------------|-------------------------------|-------|------|-------|--|
| (Source Protection Area) | Line | Point | Poly | Total | |
| Carleton Place (MVSPA) | 0 | 1 | 19 | 20 | |
| Britannia (Ottawa) (MVSPA) | 0 | 0 | 0 | 0 | |
| Lemieux Island (Ottawa) (MVSPA) | 0 | 0 | 0 | 0 | |
| TOTAL | 0 | 1 | 19 | 20 | |

Notes: MVSPA - Mississippi Valley Source Protection Area RVSPA - Rideau Valley Source Protection Area

Compiled from: Dillon Surface Water Threats and Issues Technical Report (see Appendix A-1)

Summary of Potentially Significant Threats by Prescribed Drinking Water Threat Category for Surface Water Based Municipal Drinking Water Systems - MVSPA Mississippi - Rideau Source Protection Region

| | Prescribed Drinking Water Threat Category | Total Significant Threats Count for each Prescribed Drinking Water Threats in the Mississippi Valley Source Protection Area |
|----|---|---|
| 1 | The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the <i>Environmental Protection Act</i> . | 0 |
| 2 | The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. | 0 |
| 3 | The application of agricultural source material to land. | 3 |
| 4 | The storage of agricultural source material. | 6 |
| 5 | The management of agricultural source material. | 0 |
| 6 | The application of non-agricultural source material to land. | 3 |
| 7 | The handling and storage of non-agricultural source material. | 0 |
| 8 | The application of commercial fertilizer to land. | 0 |
| 9 | The handling and storage of commercial fertilizer. | 0 |
| 10 | The application of pesticide to land. | 0 |
| 11 | The handling and storage of pesticide. | 1 |
| 12 | The application of road salt. | 0 |
| 13 | The handling and storage of road salt. | 0 |
| 14 | The storage of snow. | 0 |
| 15 | The handling and storage of fuel. | 1 |
| 16 | The handling and storage of a dense non-aqueous phase liquid (DNAPLS). | 0 |
| 17 | The handling and storage of an organic solvent. | 0 |
| 18 | The management of runoff that contains chemicals used in the de-icing of aircraft. | 0 |
| 19 | An activity that takes water from an aquifer or a surface water body without returning the water taken to the same aquifer or surface water body. | 0 |
| 20 | An activity that reduces the recharge of an aquifer. | 0 |
| 21 | The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. | 6 |
| | Totals | 20 |

Compiled from: Dillon Groundwater Threats and Issues Technical Report (see Appendix A-1)

Lower/Single Tier Municipalities located in Intake Protection Zones - MVSPA Mississippi - Rideau Source Protection Region

| | Intake Protection Zones | | | | |
|------------------------|-------------------------|---|--|--|--|
| Municipality | Carleton Place | Britannia and Lemieux Island (Ottawa) | | | |
| Addington Highlands | ✓ | \checkmark | | | |
| Beckwith | \checkmark | \checkmark | | | |
| Carleton Place | \checkmark | \checkmark | | | |
| Central Frontenac | \checkmark | \checkmark | | | |
| Drummond/North Elmsley | \checkmark | \checkmark | | | |
| Greater Madawaska | \checkmark | \checkmark | | | |
| Lanark Highlands | \checkmark | \checkmark | | | |
| Mississippi Mills | \checkmark | \checkmark | | | |
| North Frontenac | \checkmark | \checkmark | | | |
| Ottawa | | \checkmark | | | |
| Tay Valley | \checkmark | \checkmark | | | |

Compiled from: MRSPR Surface Water Technical Reports (see Appendix A-1)

Table 6-5Risk to Carleton Place IPZs based on managed lands and livestock densityMississippi - Rideau Source Protection Region

| Municipal Drinking Water System | IPZ and Vulnerability Score | Percent Total Managed Lands | Risk for Over Application of Nutrients | Livestock Density (NU/acre) | Risk for Over- Application of ASM |
|---------------------------------------|-----------------------------------|--------------------------------------|--|-----------------------------------|---|
| | IPZ-1 (10) | 18.2 | LOW | 0.00 | LOW |
| | IPZ-2 (9) | 28.3 | LOW | 0.27 | LOW |
| Carleton Place | IPZ-3 (8) | 17.4 | LOW | 0.14 | LOW |
| Carleton Place | IPZ-3 (7) | 23.9 | LOW | 0.13 | LOW |
| | IPZ-3 (6) | 14.7 | LOW | 0.13 | LOW |
| | IPZ-3 (5) | 10.3 | LOW | 0.17 | LOW |

Compiled from: Dillon Managed Lands and Livestock Density Technical Report (see Appendix A-1)

Summary of Potentially Significant Threats to Carleton Place Source Water and Prescribed Activities Considered Mississippi - Rideau Source Protection Region

| | | Prescri | bed Drinking V | Vater Quality Thre | eat Category | | |
|-------------------------------------|--|---|--|---|--|--|-------|
| Land Use Activity | The application of agricultural source material to land. | The application of non- agricultural source material to land. | d The handling and storage of fuel. | 전 The handling and 더 storage of pesticide. | The storage of agricultural source material. | The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. | TOTAL |
| Cattle Ranching and Farming | | | | | 2 | 3 | 5 |
| Elementary and Secondary Schools | | | 1 | | | | 1 |
| Other Animal Production | | | | | 4 | 3 | 7 |
| Other Crop Farming | 3 | | | 1 | | | 4 |
| Septage Waste Application | | 3 | | | | | 3 |
| TOTAL | 3 | 3 | 1 | 1 | 6 | 6 | 20 |

Compiled from: Dillon Surface Water Threats and Issues Technical Report (see Appendix A-1)

Risk to Britannia and Lemieux IPZs Based on Managed Lands and Livestock Density Mississippi - Rideau Source Protection Region

| Municipal Drinking Water System | IPZ and Vulnerability Score | Percent Total Managed Lands | Risk for Over Application of Nutrients | Livestock Density (NU/acre) | Risk for Over- Application of ASM |
|---------------------------------------|-----------------------------------|--------------------------------------|--|-----------------------------------|---|
| | IPZ-1 (9) | 0 | LOW | 0.00 | LOW |
| | IPZ-2 (8.1) | 27.8 | LOW | 0.004 | LOW |
| Britannia | IPZ-3 (7.2) | 15.2 | LOW | 0.14 | LOW |
| Dillaillia | IPZ-3 (6.3) | 17.9 | LOW | 0.14 | LOW |
| | IPZ-3 (5.4) | 36.8 | LOW | 0.13 | LOW |
| | IPZ-3 (4.5) | 35.3 | LOW | 0.13 | LOW |
| | IPZ-1 (9) | 0 | LOW | 0.00 | LOW |
| | IPZ-2 (8) | 20.5 | LOW | 0.00 | LOW |
| Lomioux lolond | IPZ-3 (7.2) | 7.3 | LOW | 0.15 | LOW |
| Lemieux Island | IPZ-3 (6.3) | 28.1 | LOW | 0.13 | LOW |
| | IPZ-3 (5.4) | 42.7 | MODERATE | 0.13 | LOW |
| | IPZ-3 (4.5) | 40.6 | MODERATE | 0.13 | LOW |

N/A = Not Available

Compiled from: Dillon Managed Lands and Livestock Density Technical Report (see Appendix A-1)

Summary of Potentially Significant Threats to Britannia Source Water and Prescribed Activities Considered

Mississippi - Rideau Source Protection Region

| | Prescri | | | | |
|----------------------------|--|--|---|--|-------|
| Land Use Activity | The application of agricultural source material to land. | The application of pesticide to land. | The storage of agricultural source material. | The use of land as livestock grazing or pasturing land, an outdoor confinement area or a farm-animal yard. O. Reg. 385/08, s. 3. | TOTAL |
| Fruit and Tree Nut Farming | Polygon 1 | Polygon 1 | Polygon | Polygon | 2 |
| Oilseed and Grain Farming | 1 | 1 | | | 2 |
| Other Animal Production | | | 1 | 1 | 2 |
| TOTAL | 2 | 2 | 1 | 1 | 6 |

Compiled from: Dillon Surface Water Threats and Issues Technical Report (see Appendix A-1)